

pelipal

CONTEA

MADE IN GERMANY



Front panel and carcass available in any combination
Handle: see detailed description


CARCASS QUALITY:

COMFORT N: drawer with metal frame and soft close, carcass with 1.0 mm edge, incl. door damper, cap for mounting brackets


FRONT QUALITY:

deep-drawn MDF foil

front decor




10
white high gloss



9
anthracite high gloss



430
Sanremo oak terra horizontal effect



444
steel grey metallic



422
graphite structure horizontal effect



436
Oak white horizontal effect




437
Ribbeck oak horizontal effect

carcass decor




25
white gloss




70
anthracite silk gloss



428
Sanremo oak terra horizontal effect



88
steel grey



401
graphite structure horizontal effect



440
Oak white horizontal effect



444
Ribbeck oak horizontal effect

Subject to technical and constructive changes to the products in the interests of progress as well as errors and colour deviations.
The original colour and finish cannot be inferred from the colour representation of the brochure and décor illustrations.
A consistent décor between the individual front parts cannot be guaranteed.

All lights / electrical components may only be used along with products from the catalogue!

mineral marble washbasins



white gloss

glass washbasins



optiwhite

handles



B2 model
chrome gloss

Due to differing door shapes/widths, the handle dimensions/lengths are permanently assigned.

Subject to technical and constructive changes to the products in the interests of progress as well as errors and colour deviations.
The original colour and finish cannot be inferred from the colour representation of the brochure and décor illustrations.
A consistent décor between the individual front parts cannot be guaranteed.

All lights / electrical components may only be used along with products from the catalogue!



product photos



combination examples

washbasin 800 mm

washbasin 1190 mm left version



1.7

2.7

CT-SP-8570	0
BME006M81701	0
CT-WU2L-7848-50	0

0

CT-SP-1270	0
BLE006M12001	0
CT-WU03-1148-L-50	0

0

1.8

2.8

CT-S3D7-8073-16	0
BME006M81701	0
CT-WU2L-7848-50	0

0

CT-S3D7-1173-L-16	0
BLE006M12001	0
CT-WU03-1148-L-50	0

0

1.9

2.9

CT-S2E23-857017-R	0
BME006M81701	0
CT-WU2L-7848-50	0

0

CT-S3E23-1270-17	0
BLE006M12001	0
CT-WU03-1148-L-50	0

0

1.10

2.10

SEAE00185	0
BME006M81701	0
CT-WU2L-7848-50	0

0

SEAE00112L	0
BLE006M12001	0
CT-WU03-1148-L-50	0

0


.....
All lights / electrical components may only be used along with products from the catalogue!

combination examples

washbasin 1190 mm right version

washbasin 1280 mm


3.7



CT-SP-1270 0
BRE006M12001 0
CT-WU03-1148-R-50 0

0


4.7



CT-SP-1370 0
BME006M13001 0
CT-WU08-1248-50 0

0


3.8



CT-S3D7-1173-R-16 0
BRE006M12001 0
CT-WU03-1148-R-50 0

0


4.8



CT-S3D7-1273-16 0
BME006M13001 0
CT-WU08-1248-50 0

0


3.9



CT-S3E23-1270-17 0
BRE006M12001 0
CT-WU03-1148-R-50 0

0


4.9



CT-S3E23-1370-17 0
BME006M13001 0
CT-WU08-1248-50 0

0


3.10



SEAE00112R 0
BRE006M12001 0
CT-WU03-1148-R-50 0

0

4.10




SEAE00113 0
BME006M13001 0
CT-WU08-1248-50 0

0

combination examples


washbasin 1580 mm



5.7




CT-SP-1570	0
BME006M15901	0
CT-WU08-1548-50	0




0

5.8




CT-S3D7-1573-16	0
BME006M15901	0
CT-WU08-1548-50	0




0

5.9



CT-S3E23-1670-17	0
BME006M15901	0
CT-WU08-1548-50	0




0

5.10




SEAE00115	0
BME006M15901	0
CT-WU08-1548-50	0



0

mirror cabinet overview



mirror cabinet incl. LED lighting in the canopy

	width (mm)
CT-S3D7-8073-16	800
CT-S3D7-1173-16	1190
CT-S3D7-1273-16	1300
CT-S3D7-1573-16	1580



mirror cabinet incl. LED lighting in the doors and effect lighting at the back

	width (mm)
CT-S2E23-8570-17	850
CT-S3E23-1270-17	1200
CT-S3E23-1370-17	1300
CT-S3E23-1670-17	1600



Mirror cabinet, incl. LED lighting in canopy and switch/socket controllable from outside

	width (mm)
CT-S3D8-8073-16-LA	800
CT-S3D8-8073-16-RA	800
CT-S3D8-8073-16-UN	800
CT-S3D8-1173-L-16-LA	1190
CT-S3D8-1173-L-16-UN	1190
CT-S3D8-1173R-16-RA	1190
CT-S3D8-1173R-16-UN	1190
CT-S3D8-1273-16-LA	1300
CT-S3D8-1273-16-RA	1300
CT-S3D8-1273-16-UN	1300
CT-S3D8-1573-16-LA	1580
CT-S3D8-1573-16-RA	1580
CT-S3D8-1573-16-UN	1580



mirror cabinet single mirrored

	width (mm)
SEAE00185	850
SEAE00112L	1200
SEAE00112R	1200
SEAE00113	1300
SEAE00115	1550

Combination 800 mm / 856 mm

mineral marble washbasin
white gloss (01), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
25	817	514	BME006M81701				-		

LED additional lighting
for shadow gap, 12V LED, LM LED, 8,5W, incl. motion sensor
can optionally be used with: BME006M81701



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			ZLH08381E			A+ (1)	-		

glass washbasin
optiwhite (owh), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	800	505	CT-GWTR 505-800				-		

mineral marble washbasin
white (w), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
50	856	533	MMWTR 67-856				-		

LED additional lighting
for shadow gap, 12V LED, LM LED, 6,8W, 627LM, 6400K, incl. motion sensor
can optionally be used with: MMWTR 67-856



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			EB-LH30-SET 32			A+ (1)	-		

vanity unit
2 drawers



can be combined with TSS-FACHT-343 SET 1 2 sets possible!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	780	495	CT-WU2L-7848-50		Comfort N		-		

drawer insert for cosmetics
plastic grey, 2 part, (width, 130 mm each)
optional for vanity units



for Comfort N carcass design

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
53	130	343	TSS-FACHT-343-SET 1				-		

upper units 850 mm

mirror
on carrier plate



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	850	32	CT-SP-8570				-		

mirror cabinet
2 hinged doors, single mirrored, 2 glass shelves
door stop from left: L R



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
720	850	170	SEAE00185		Comfort N		-		


LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with: SEAE00185



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		ZWP00265E			A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 830 mm, canopy depth: 285 mm
3 doors, double mirrored, 6 glass shelves
switch/socket
door stop from left: L L R



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
730	800	160	CT-S3D7-8073-16		Comfort N	A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 830 mm, canopy depth: 285 mm
3 doors, double mirrored, 6 glass shelves
switch/socket controllable from outside
selectable module position:
right external (RA), left external (LA) or underneath (UN), door stop from left: L L R



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
719	800	160	CT-S3D8-8073-16-LA		Comfort N	A+ (1)	-		
719	800	160	CT-S3D8-8073-16-RA		Comfort N	A+ (1)	-		
719	800	160	CT-S3D8-8073-16-UN		Comfort N	A+ (1)	-		

LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with: CT-S3D7-8073-16 and CT-S3D8-8073-16



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 02			A+ (1)	-		

upper units 850 mm



mirror cabinet

incl. LED lighting in the doors, and rear-facing effect light, 12V LED, LM LED, 13.5W
 2 doors, single mirrored, 4 glass shelves
 switch/socket
 door hinges on left: R L
 ill. shows left

Model: L / R selectable - please specify when ordering!
Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	850	170	CT-S2E23-8570-17	L/R	Comfort N	A+ (1)	-		

LED additional lighting

for washstand lighting, 12V LED, LM LED, 3.2W
 can optionally be used with: CT-S3E23-8570-17-L/R




Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 01			A+ (1)	-		

Combination

mineral marble washbasin

white gloss (01), basin on left side, with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
25	1207	514	BLE006M12001				-		

LED additional lighting

for shadow gap, 12V LED, LM LED, 10.5W, incl. motion sensor

can optionally be used with:

BLE006M12001, BRE006M12001




Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			ZLH08312E			A+ (1)	-		

glass washbasin


optiwhite (owh), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	1190	505	CT-GWTR 505-1190-04 L				-		

mineral marble washbasin

white (w), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
50	1248	533	MMWTR 67-1248-04				-		

LED additional lighting

for shadow gap, 12V LED, LM LED, 10.8W, incl. motion sensor

can optionally be used with:

MMWTR 67-1248-04




Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			EB-LH30-SET 33			A+ (1)	-		

vanity unit

2 doors, 2 drawers



can be combined with TSS-FACHT-253 SET 1 2 sets possible!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1170	495	CT-WU10-1148-L-50		Comfort N		-		

drawer insert for cosmetics

plastic grey, 2 part, (width, 130 mm each)

optional for vanity units




for Comfort N carcass design

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
53	130	253	TSS-FACHT-253-SET 1				-		

Combination

vanity unit
1 door, 2 drawers, 1 glass shelf, right

can be combined with TSS-FACHT-343 SET 1 2 sets possible!



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1170	495	CT-WU03-1148-L-50		Comfort N		-		



drawer insert for cosmetics
plastic grey, 2 part, (width, 130 mm each)
optional for vanity units

for Comfort N carcass design

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
53	130	343	TSS-FACHT-343-SET 1				-		

upper units 1200 mm

mirror
on carrier plate



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1200	32	CT-SP-1270				-		

mirror cabinet
3 doors, single mirrored, 6 glass shelves
door hinges on left: R L L



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
720	1200	170	SEAE00112L		Comfort N		-		


LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with: SEAE00112L



Not available separately!


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		ZWP00265E			A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 1210 mm, canopy depth: 285 mm
3 doors, double mirrored, 1 open compartment, mirrored back wall
with 2 illuminated glass shelves, 6 glass shelves
switch/socket
door stop from left: L L R




height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
730	1190	160	CT-S3D7-1173-L-16		Comfort N	A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 1210 mm, canopy depth: 285 mm
3 doors, double mirrored, 1 open compartment, mirrored back wall
with 2 illuminated glass shelves, 6 glass shelves
switch/socket controllable from outside
Selectable module positions:
right external (RA) or underneath (UN)
door stop from left: L L R



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
719	1190	160	CT-S3D8-1173-L-16-LA		Comfort N	A+ (1)	-		
719	1190	160	CT-S3D8-1173-L-16-UN		Comfort N	A+ (1)	-		

mirror cabinet
incl. LED lighting in the doors, and rear-facing effect light, 12V LED, LM LED, 13.5W
3 doors, single mirrored, 6 glass shelves
switch/socket
door hinges on left: R L L



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1200	170	CT-S3E23-1270-17		Comfort N	A+ (1)	-		

LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W, can optionally be used with: CT-S3D7-1173-L-16, CT-S3D8-1173-L-16 and CT-S3E23-1270-17



Not available separately!


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 01			A+ (1)	-		

All lights / electrical components may only be used along with products from the catalogue!

Combination 1190 mm / 1248 mm

mineral marble washbasin

white gloss (01), basin on right side, with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
25	1207	514	BRE006M12001				-		

LED additional lighting

for shadow gap, 12V LED, LM LED, 10.5W, incl. motion sensor
can optionally be used with:
BLE006M12001, BRE006M12001




Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			ZLH08312E			A+ (1)	-		

glass washbasin

optiwhite (owh), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	1190	505	CT-GWTR 505-1190-03 R				-		

mineral marble washbasin

white (w), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
50	1248	533	MMWTR67-1248-03				-		

LED additional lighting

for shadow gap, 12V LED, LM LED, 10.8W, incl. motion sensor
can optionally be used with:
MMWTR 67-1248-03



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			EB-LH30-SET 33			A+ (1)	-		

vanity unit

2 doors, 2 drawers



can be combined with TSS-FACHT-253 SET 1 2 sets possible!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1170	495	CT-WU10-1148-R-50		Comfort N		-		

drawer insert for cosmetics

plastic grey, 2 part, (width, 130 mm each)
optional for vanity units



for Comfort N carcass design


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
53	130	253	TSS-FACHT-253-SET 1				-		

All lights / electrical components may only be used along with products from the catalogue!

Combination 1190 mm / 1248 mm

vanity unit
1 door, 2 drawers, 1 glass shelf, right

can be combined with TSS-FACHT-343 SET 1 2 sets possible!



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1170	495	CT-WU03-1148-R-50		Comfort N		-		

drawer insert for cosmetics
plastic grey, 2 part, (width, 130 mm each)
optional for vanity units

for Comfort N carcass design



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
53	130	343	TSS-FACHT-343-SET 1				-		

upper units 1190 mm / 1200 mm

mirror
on carrier plate



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1200	32	CT-SP-1270				-		

mirror cabinet
3 doors, single mirrored, 6 glass shelves
door hinges on left: R L L



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
720	1200	170	SEAE00112R		Comfort N		-		


LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with:
SEAE00112R



Not available separately!


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		ZWP00265E			A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 1210 mm, canopy depth: 285 mm
3 doors, double mirrored, 1 open compartment, mirrored back wall
with 2 illuminated glass shelves, 6 glass shelves
switch/socket
door stop from left: L L R



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
730	1190	160	CT-S3D7-1173-R-16		Comfort N	A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 1210 mm, canopy depth: 285 mm
3 doors, double mirrored, 1 open compartment, mirrored back wall
with 2 illuminated glass shelves, 6 glass shelves
switch/socket controllable from outside
Selectable module positions:
right external (RA) or underneath (UN)
door stop from left: L L R



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
719	1190	160	CT-S3D8-1173R-16-RA		Comfort N	A+ (1)	-		
719	1190	160	CT-S3D8-1173R-16-UN		Comfort N	A+ (1)	-		

LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with:
CT-S3D7-1173-R-16, CT-S3E23-1270-17
and CT-S3D8-1173-R-16




Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 01			A+ (1)	-		

Combination 1280 mm / 1370 mm

mineral marble washbasin
white gloss (01), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
25	1300	514	BME006M13001				-		


LED additional lighting
for shadow gap, 12V LED, LM LED, 11W, incl. motion sensor
can optionally be used with:
BME006M13001



Not available separately!


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			ZLH08313E			A+ (1)	-		

glass washbasin
optiwhite (owh), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	1280	505	CT-GWTR 505-1280				-		

mineral marble washbasin
white (w), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
50	1370	533	MMWTR 67-1370				-		

LED additional lighting
for shadow gap, 12V LED, LM LED, 10.8W, incl. motion sensor
can optionally be used with:
MMWTR 67-1370



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			EB-LH30-SET 34			A+ (1)	-		

vanity unit
2 doors, 2 drawers, 2 glass shelves



can be combined with TSS-FACHT-343 SET 1 2 sets possible!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1260	495	CT-WU08-1248-50		Comfort N		-		

drawer insert for cosmetics
plastic grey, 2 part, (width, 130 mm each)
optional for vanity units



for Comfort N carcass design

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
53	130	343	TSS-FACHT-343-SET 1				-		

upper units 1300 mm

mirror
on carrier plate



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1300	32	CT-SP-1370				-		

mirror cabinet
3 doors, single mirrored, 4 glass shelves
door hinges on left: R L L



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
720	1300	170	SEAE00113		Comfort N		-		


LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with: SEAE00113



Not available separately!


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		ZWP00265E			A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 1300 mm, canopy depth: 285 mm
3 doors, double mirrored, 2 open compartments
with 4 illuminated glass shelves, 6 glass shelves
switch/socket
door stop from left: L L R




height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
730	1300	160	CT-S3D7-1273-16		Comfort N	A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 1300 mm, canopy depth: 285 mm
3 doors, double mirrored, 2 open compartments
with 4 illuminated glass shelves, 6 glass shelves
switch/socket controllable from outside
selectable module position:
right external (RA), left external (LA) or underneath (UN)
door stop from left: L L R



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
719	1300	160	CT-S3D8-1273-16-LA		Comfort N	A+ (1)	-		
719	1300	160	CT-S3D8-1273-16-RA		Comfort N	A+ (1)	-		
719	1300	160	CT-S3D8-1273-16-UN		Comfort N	A+ (1)	-		

mirror cabinet
incl. LED lighting in the doors, and rear-facing effect light, 12V LED, LM LED, 13.5W
3 doors, single mirrored, 6 glass shelves
switch/socket
door hinges on left: R L L



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1300	170	CT-S3E23-1370-17		Comfort N	A+ (1)	-		

LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with: CT-S3D7-1273-16, CT-S3D8-1273-16
and CT-S3E23-1370-17




Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 01			A+ (1)	-		

All lights / electrical components may only be used along with products from the catalogue!

Combination 1580 mm / 1638 mm

mineral marble washbasin
white gloss (01), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
25	1597	514	BME006M15901				-		


LED additional lighting
for shadow gap, 12V LED, LM LED, 12W, incl. motion sensor
can optionally be used with:
BME006M15901



Not available separately!


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			ZLH08315E			A+ (1)	-		

glass washbasin
optiwhite (owh), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	1580	505	CT-GWTR 505-1580				-		

mineral marble washbasin
white (w), with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
50	1638	533	CT-MMWTR 67-1638				-		

LED additional lighting
for shadow gap, 12V LED, LM LED, 12.5W, incl. motion sensor
can optionally be used with:
MMWTR 67-1638



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
			EB-LH30-SET 35			A+ (1)	-		

vanity unit
2 doors, 2 drawers, 2 glass shelves



can be combined with TSS-FACHT-343 SET 1 2 sets possible!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1560	495	CT-WU08-1548-50		Comfort N		-		

drawer insert for cosmetics
plastic grey, 2 part, (width, 130 mm each)
optional for vanity units



for Comfort N carcass design

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
53	130	343	TSS-FACHT-343-SET 1				-		

upper units 1580 mm / 1638 mm


mirror
on carrier plate



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1530	32	CT-SP-1570				-		

mirror cabinet
4 doors, single mirrored, 4 glass shelves
door hinges on left: R L R L



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
720	1550	170	SEAE00115		Comfort N		-		


LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with:
SEAE00115



Not available separately!


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		ZWP00265E			A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 1600 mm, canopy depth: 285 mm
3 doors, double mirrored, 2 open compartments, mirrored back wall
with 4 illuminated glass shelves, 6 glass shelves
switch/socket
door stop from left: L L R




height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
730	1580	160	CT-S3D7-1573-16		Comfort N	A+ (1)	-		

mirror cabinet
incl. LED lighting in the canopy, 12V LED, LM LED, 15W
canopy width: 1600 mm, canopy depth: 285 mm
3 doors, double mirrored, 2 open compartments, mirrored back wall
with 4 illuminated glass shelves, 6 glass shelves
switch/socket controllable from outside
selectable module position:
right external (RA), left external (LA) or underneath (UN)
door stop from left: L L R



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
719	1580	160	CT-S3D8-1573-16-LA		Comfort N	A+ (1)	-		
719	1580	160	CT-S3D8-1573-16-RA		Comfort N	A+ (1)	-		
719	1580	160	CT-S3D8-1573-16-UN		Comfort N	A+ (1)	-		

mirror cabinet
incl. LED lighting in the doors, and rear-facing effect light, 12V LED, LM LED, 13.5W
3 doors, single mirrored, 6 glass shelves, switch/socket
door hinges on left: R L L



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1600	170	CT-S3E23-1670-17	L/R	Comfort N	A+ (1)	-		

LED additional lighting
for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with: CT-S3D7-1573-16, CT-S3E4-1570-17 and CT-S3E23-1670-17



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 01			A+ (1)	-		

All lights / electrical components may only be used along with products from the catalogue!

optional top lights for mirror cabinets and mirrors
(lights not available separately)

	CT-SP-8570	CT-SP-1270	CT-SP-1370	CT-SP-1570	CT-S2E23-8570-17	CT-S3E23-1270-17	CT-S3E23-1370-17	CT-S3E23-1670-17	SEAE 001 85	SEAE 001 12 L	SEAE 001 12 R	SEAE 001 13	SEAE 001 15
EB-LS-AB-400F	•	•	•	•	•	•	•	•	•	•	•	•	•
EB-LS-AB-600F	•	•	•	•	•	•	•	•	•	•	•	•	•
EB-LS-AF-400F					•	•	•	•	•	•	•	•	•
EB-LS-AF-600F					•	•	•	•	•	•	•	•	•
EB-LS-AF-900F						•	•	•		•	•	•	
EB-LS-AG-400F					•	•	•	•	•	•	•	•	•
EB-LS-AG-400H					•	•	•	•	•	•	•	•	•
EB-LS-AG-600F					•	•	•	•	•	•	•	•	•
EB-LS-AG-600H					•	•	•	•	•	•	•	•	•
EB-LS-AG-900F						•	•	•		•	•	•	•
EB-LS-AH-600F					•	•	•	•	•	•	•	•	•
EB-LS-AI-500F					•	•	•	•	•	•	•	•	•
EB-LS-AJ-600F									•	•	•	•	•
EB-LS-AJ-900F										•	•	•	•
EB-LS-AK-600F									•	•	•	•	•
EB-LS-AK-900F										•	•	•	
EB-LS-AM-400F	•	•	•	2•	•	•	•	•	•	•	•	•	•
EB-LS-AM-600F	•	•	•	•	•	•	•	•	•	•	•	•	•
EB-LS-AM-900F						•	•	•		•	•	•	•
EB-LS-AM-1100F						•	•	•		•	•	•	
EB-LS-AN-350F					•	•	•	•	•	•	•	•	•
EB-LS-AN-600F					•	•	•	•	•	•	•	•	•
EB-LS-AN-900F						•	•	•		•	•	•	•
EB-LS-AP-400F	•	•	•	•					•	•	•	•	•
EB-LS-AP-600F	•	•	•	•					•	•	•	•	•
EB-LS-AP-900F										•	•	•	•
EB-LS-AQ-600F					•	•	•	•	•	•	•	•	•
EB-LS-AQ-600H					•	•	•	•	•	•	•	•	•
EB-LS-AQ-900F						•	•	•		•	•	•	•
EB-LS-AS-400F	•	•	•	•	•	•	•	•	•	•	•	•	•
EB-LS-AS-600F	•	•	•	•	•	•	•	•	•	•	•	•	•
EB-LS-AS-900F						•	•	•		•	•	•	•
ZAL ATF 51 E					•	•	•	•	•	•	•	•	•
ZAL ATF 81 E						•	•	•	•	•	•	•	•
ZAL AUF 40 E					•	•	•	•	•	•	•	•	•
ZAL AUF 60 E					•	•	•	•	•	•	•	•	•
ZAL AUF 90 E					•	•	•	•	•	•	•	•	•
ZAL AVF 60 E					•	•	•	•	•	•	•	•	•
ZAL AVF 90 E						•	•	•		•	•	•	•
ZAL AWF 40 E	•	•	•	2•	•	•	•	•	•	•	•	•	•
ZAL AWF 60 E	•	•	•	•	•	•	•	•	•	•	•	•	•
ZAL AWF 90 E				•	•	•	•		•	•	•	•	•

All lights / electrical components may only be used along with products from the catalogue!

pelipal

MADE IN GERMANY

CONTEA



customer:


supplier:

PELIPAL GmbH
Hans-Wilhelm-Peters-Straße 2
33189 Schlangen
Germany

date:

term: 30 working days
delivery: +49 5252/848-0
phone: +49 5252/848-158
fax:
minimum order value:
freight costs:
incoterm:

bloc:



dimension in mm:

300/856

See type guide for energy-efficiency information

front panel: Graphite structure horizontal effect
carcass colour: Graphite structure horizontal effect
accent colour: /
carcass quality: Comfort N
drawers: metal drawer with soft-motion technics
colour countertop: /
studs decor: /
handle/knob: B2
assembly: wall-mounted
archive no.: 1-CT-F38-1-RET-UB

pos.	units	article no. / door hinge	description	Comfort N Points
1	1	MMWTR 67-856	mineral marble washbasin white	0
2	1	CT-WU2L-7848-50	vanity unit 2 drawers	0
3	1	S5-SPSD 11-II	mirror cabinet double mirrored incl. LED top light	0
combination price:				0
4	1	EB-LH30-SET 32	LED additional lighting	0
5	1	EB-L-WP 02	LED additional lighting for washstand	0
6	1	ZKEFA343K	drawer insert for cosmetics 2-piece Grey plastic	0
7	1	HHWE 3-345	towel holder 2-arm, square, for wall mounting	0
8	1	MCL513033	:L/R: side cabinet 1 door, 2 drawers incl. top cover	0
9	1	EHM-23-C	single-lever mixer chrome gloss	0
total value of additional units:				0
total value incl. additional units:				0

Subject to changes and errors.

pelipal

MADE IN GERMANY

CONTEA



customer:


supplier:

PELIPAL GmbH
Hans-Wilhelm-Peters-Straße 2
33189 Schlangen
Germany

date:

term:
delivery: 30 working days
phone: +49 5252/848-0
fax: +49 5252/848-158
minimum order value:
freight costs:
incoterm:

bloc:



dimension in mm:

450/1248

See type guide for energy-efficiency information

front panel: Sanremo Oak Terra horizontal effect
carcass colour: Sanremo Oak Terra horizontal effect
accent colour: /
carcass quality: Comfort N
drawers: metal drawer with soft-motion technics
colour countertop: /
studs decor: /
handle/knob: B2
assembly: wall-mounted
archive no.: 1-CT-F37-1-RET

				Comfort N	
pos.	units	article no. / door hinge	description		Points
1	1	MMWTR67-1248-03	mineral marble washbasin white		0
2	1	CT-WU03-1148-R-50	L/R	vanity unit 1 door, 2 drawers	0
3	1	CT-SP-1270	mirror on carrier plate		0
combination price:					0
4	1	EB-LH30-SET 33	LED additional lighting		0
5	1	EB-LS-AB-600F	top light LED chrome gloss		0
6	1	ZKEFA343K	drawer insert for cosmetics 2-piece Grey plastic		0
7	1	HHWE 2-325	towel holder square, for wall mounting		0
8	1	EM-SPR 01	mirror shelf Mirror with 7 shelves		0
9	1	EHM-23-C	single-lever mixer chrome gloss		0
total value of additional units:					0
total value incl. additional units:					0

Subject to changes and errors.

pelipal

MADE IN GERMANY

CONTEA



pelipal

MADE IN GERMANY

CONTEA



customer:

supplier:

PELIPAL GmbH
Hans-Wilhelm-Peters-Straße 2
33189 Schlangen
Germany

date:

term:

delivery:

phone:

fax:

minimum order value:

freight costs:


incoterm:

30 working days

+49 5252/848-0

+49 5252/848-158

bloc:



dimension in mm:

300/1200

See type guide for energy-efficiency information

front panel: White oak effect, horizontal
carcass colour: White oak effect, horizontal
accent colour: /
carcass quality: Comfort N
drawers: metal frame with soft insert
colour countertop: /
studs decor: /
handle/knob: B2
assembly: wall-mounted
archive no.:

pos.	units	article no. / door hinge	description	Comfort N Points
1	1	BLE006M12001	mineral marble washbasin white Left-hand basin	0
2	1	CT-WU03-1148-L-50	vanity unit 1 door, 2 drawers	0
3	1	SEAE00112L	mirror cabinet 3-door without lighting	0
combination price:				0
4	1	EB-LS-AN-600F	top light LED chrome gloss	0
5	1	EB-L-WP 02	LED additional lighting for washstand	0
6	1	ZLH08312E	LED additional lighting for Shadow gap incl. motion sensor	0
7	1	ZKEFA343K	drawer insert for cosmetics 2-piece Grey plastic	0
8	1	HCL013033	:L/R: tall cabinet 2 doors, 1 drawer	0
9	1	HHWE 2-325	towel holder square, for wall mounting	0
10	1	EHM-23-C	single-lever mixer chrome gloss	0
total value of additional units:				0
total value incl. additional units:				0

Subject to changes and errors.