

# pelipal

## S25 WITH SIDE-MOUNTED LIGHT PROFILE

MADE IN GERMANY



mirror cabinet overview

illustration

S25-SPS 08



mirror cabinet incl. side-mounted LED light profile on the doors and switch/socket controllable from outside

width (mm)

S25-SPS 06-R-LA	600
S25-SPS 06-L-RA	600
S25-SPS 06-UN	600
S25-SPS 08-LA	700
S25-SPS 08-RA	700
S25-SPS 08-UN	700
S25-SPS 11-LA	800
S25-SPS 11-RA	800
S25-SPS 11-UN	800
S25-SPS 13-LA	900
S25-SPS 13-RA	900
S25-SPS 13-UN	900
S25-SPS 15-LA	1000
S25-SPS 15-RA	1000
S25-SPS 15-UN	1000
S25-SPS 18-LA	1100
S25-SPS 18-RA	1100
S25-SPS 18-UN	1100
S25-SPS 20-ZA	1200
S25-SPS 20-ZU	1200
S25-SPS 21-LA	1200
S25-SPS 21-RA	1200
S25-SPS 21-UN	1200
S25-SPS 23-LA	1300
S25-SPS 23-RA	1300
S25-SPS 23-UN	1300
S25-SPS 24-ZA	1300
S25-SPS 24-ZU	1300
S25-SPS 26-ZA	1400
S25-SPS 26-ZU	1400
S25-SPS 27-LA	1500
S25-SPS 27-RA	1500
S25-SPS 27-UN	1500
S25-SPS 28-ZA	1500
S25-SPS 28-ZU	1500
S25-SPS 29-ZA	1600
S25-SPS 29-ZU	1600
S25-SPS 32-ZA	1700
S25-SPS 32-ZU	1700
S25-SPS 34-ZA	1800
S25-SPS 34-ZU	1800

S25 with side-mounted light profile



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 1 door, 2 glass shelves  
 switch/socket controllable from outside, selectable module position:  
 right external (RA), left external (LA) or underneath (UN)  
 Door hinges on left: L or R (selectable)

**Please indicate a preference for door hinges on left (L) or right (R)!**

**Please note: module cannot be positioned on exterior on same side as hinges**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	600	170	S25-SPS 06-L-RA	L/R	Comfort N	A++ (1)	-		
703	600	170	S25-SPS 06-R-LA	L/R	Comfort N	A++ (1)	-		
703	600	170	S25-SPS 06-UN	L/R	Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 2 hinged doors, 4 glass shelves  
 switch/socket controllable from outside, selectable module position:  
 right external (RA), left external (LA) or underneath (UN)  
 door hinges on left: R L  
 ill. shows left

**Model: L / R selectable - please specify when ordering!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	700	170	S25-SPS 08-LA	L/R	Comfort N	A++ (1)	-		
703	700	170	S25-SPS 08-RA	L/R	Comfort N	A++ (1)	-		
703	700	170	S25-SPS 08-UN	L/R	Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 3 doors, 6 glass shelves  
 switch/socket controllable from outside, selectable module position:  
 right external (RA), left external (LA) or underneath (UN)  
 door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	800	170	S25-SPS 11-LA		Comfort N	A++ (1)	-		
703	800	170	S25-SPS 11-RA		Comfort N	A++ (1)	-		
703	800	170	S25-SPS 11-UN		Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 3 doors, 2 glass shelves  
 switch/socket controllable from outside, selectable module position:  
 right external (RA), left external (LA) or underneath (UN)  
 door hinges on left: R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	900	170	S25-SPS 13-LA		Comfort N	A++ (1)	-		
703	900	170	S25-SPS 13-RA		Comfort N	A++ (1)	-		
703	900	170	S25-SPS 13-UN		Comfort N	A++ (1)	-		




**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 3 doors, 6 glass shelves  
 switch/socket controllable from outside, selectable module position:  
 right external (RA), left external (LA) or underneath (UN)  
 door hinges on left: R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1000	170	S25-SPS 15-LA		Comfort N	A++ (1)	-		
703	1000	170	S25-SPS 15-RA		Comfort N	A++ (1)	-		
703	1000	170	S25-SPS 15-UN		Comfort N	A++ (1)	-		


## S25 with side-mounted light profile



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 3 doors, 6 glass shelves  
 switch/socket controllable from outside, selectable module position:  
 right external (RA), left external (LA) or underneath (UN)  
 door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1100	170	S25-SPS 18-LA		Comfort N	A++ (1)	-		
703	1100	170	S25-SPS 18-RA		Comfort N	A++ (1)	-		
703	1100	170	S25-SPS 18-UN		Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 2 hinged doors, 4 glass shelves  
 switch/socket controllable from outside, Selectable module positions:  
 two outside (ZA), two underneath (ZU)  
 door hinges on left: R L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1200	170	S25-SPS 20-ZA		Comfort N	A++ (1)	-		
703	1200	170	S25-SPS 20-ZU		Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 3 doors, 6 glass shelves  
 switch/socket controllable from outside, selectable module position:  
 right external (RA), left external (LA) or underneath (UN)  
 door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1200	170	S25-SPS 21-LA		Comfort N	A++ (1)	-		
703	1200	170	S25-SPS 21-RA		Comfort N	A++ (1)	-		
703	1200	170	S25-SPS 21-UN		Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 3 doors, 6 glass shelves  
 switch/socket controllable from outside, selectable module position:  
 right external (RA), left external (LA) or underneath (UN)  
 door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1300	170	S25-SPS 23-LA		Comfort N	A++ (1)	-		
703	1300	170	S25-SPS 23-RA		Comfort N	A++ (1)	-		
703	1300	170	S25-SPS 23-UN		Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 4 doors, 8 glass shelves  
 switch/socket controllable from outside, Selectable module positions:  
 two outside (ZA), two underneath (ZU)  
 door hinges on left: R R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1300	170	S25-SPS 24-ZA		Comfort N	A++ (1)	-		
703	1300	170	S25-SPS 24-ZU		Comfort N	A++ (1)	-		




**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 4 doors, 8 glass shelves  
 switch/socket controllable from outside, Selectable module positions:  
 two outside (ZA), two underneath (ZU)  
 door hinges on left: R R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1400	170	S25-SPS 26-ZA		Comfort N	A++ (1)	-		
703	1400	170	S25-SPS 26-ZU		Comfort N	A++ (1)	-		


## S25 with side-mounted light profile



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 3 doors, 6 glass shelves  
 switch/socket controllable from outside, selectable module position:  
 right external (RA), left external (LA) or underneath (UN)  
 door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1500	170	S25-SPS 27-LA		Comfort N	A++ (1)	-		
703	1500	170	S25-SPS 27-RA		Comfort N	A++ (1)	-		
703	1500	170	S25-SPS 27-UN		Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 3 doors, 6 glass shelves  
 switch/socket controllable from outside, Selectable module positions:  
 two outside (ZA), two underneath (ZU)  
 door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1500	170	S25-SPS 28-ZA		Comfort N	A++ (1)	-		
703	1500	170	S25-SPS 28-ZU		Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 3 doors, 6 glass shelves  
 switch/socket controllable from outside, Selectable module positions:  
 two outside (ZA), two underneath (ZU)  
 door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1600	170	S25-SPS 29-ZA		Comfort N	A++ (1)	-		
703	1600	170	S25-SPS 29-ZU		Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 4 doors, 8 glass shelves  
 switch/socket controllable from outside, Selectable module positions:  
 two outside (ZA), two underneath (ZU)  
 door hinges on left: R R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1700	170	S25-SPS 32-ZA		Comfort N	A++ (1)	-		
703	1700	170	S25-SPS 32-ZU		Comfort N	A++ (1)	-		



**mirror cabinet**

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W  
 4 doors, 8 glass shelves  
 switch/socket controllable from outside, Selectable module positions:  
 two outside (ZA), two underneath (ZU)  
 door hinges on left: R R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1800	170	S25-SPS 34-ZA		Comfort N	A++ (1)	-		
703	1800	170	S25-SPS 34-ZU		Comfort N	A++ (1)	-		

## S25 with side-mounted light profile



**LED additional lighting**

for washstand lighting, 12V, LM LED, 3W  
 can optionally be used with:  
 S25-SPS 06-L/R (recommendation: 1 piece)  
 S25-SPS 20 and S25-SPS 24 (recommendation: 2 pieces)

**Not available separately!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	350		EB-L-WP 03			A+ (1)	-		



**LED additional lighting**

for washstand lighting, 12V, LM LED, 4W  
 can optionally be used with:  
 S25-SPS 08-L/R, S25-SPS 11, S25-SPS 13, S25-SPS 15, S25-SPS 18,  
 S25-SPS 21, S25-SPS 23 und S25-SPS 27 (recommendation: 1 piece)  
 S25-SPS 26, S25-SPS 28, S25-SPS 29, S25-SPS 32 und S25-SPS 34 (recommendation: 2 pieces)

**Not available separately!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 01			A+ (1)	-		