



LEONARDO

# LEO LIVING BATHROOM 116

MADE IN GERMANY





## combination 480 mm

### mineral marble washbasin

white (w), with tap hole incl. Clou drain



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
15	480	315	LE-MMWT 11						

### glass washbasin

Optiwhite or metallic grey  
with tap hole incl. Clou drain



**new**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	480	315	LE-GWT 08-OWH						
12	480	315	LE-GWT 08-MG						

### vanity unit

1 door, with side-mounted glass studs and 10 mm studs



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	460	300	LE-WTUS 45	L/R	Comfort N				

### vanity unit

1 door, incl. LED lighting in the glass studs, 12V LED, LM LED, 9W  
with motion sensor and 10 mm studs



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	460	300	LE-WTUSB 45	L/R	Comfort N	A+ (1)			

### vanity unit

incl. LEDrelax lighting in the glass studs  
220-240V, LM LED-RGB, max. 2x15W, max. 1185LM, 2700-6500K  
with motion sensor and 10 mm studs, 1 door



**new**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	460	300	W01018M46	L/R	Comfort N	A+ (1)			



## upper units 480 mm

### mirror

on carrier plate, incl. LED effect light and sensor switch, 12V LED, LM LED, 13W, 485LM, 6400K



**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
600	500	32	LE-FSP 23		Comfort N	A+ (1)			

### mirror

on carrier plate, incl. LEDplus top light and LEDplus effect light with sensor switch 12V LED, LM LED, 18W, light width 400 mm



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
600	500	32	LE-FSPP 23		Comfort N	A+ (1)			

### functional mirror

on carrier plate, incl. LED lighting, 12V LED, LM LED, 15W



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	600	32	LE-FSP 05		Comfort N	A+ (1)			

### functional mirror

on carrier plate, incl. aluminium rail, LED lighting and sensor switch, 12V LED, LM LED, 11W



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	600	32	LE-FSP 14		Comfort N	A+ (1)			

### mirror cabinet

1 door, single mirrored, 2 glass shelves with side-mounted glass studs and 10 mm studs



**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	540	180	LE-SPS 78	L/R	Comfort N				

### LED additional lighting

for washstand lighting, 12V LED, LM LED, 1.7W can optionally be used with: LE-SPS 78-L/R



**Not available separately!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	350		EB-L-WP 04			A+ (1)			

### mirror cabinet

incl. LED lighting in the glass studs, 12V LED, LM LED, 14W and 10 mm studs, 1 door, single mirrored, 2 glass shelves, switch/socket



**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	540	180	LE-SPSB 78	L/R	Comfort N	A+ (1)			

### mirror cabinet

incl. LEDplus top lights and LEDplus lighting in the glass studs, 12V LED, LM LED, 19W and 10 mm studs, 1 door, single mirrored, 2 glass shelves, switch/socket light width 400 mm



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	540	180	LE-SPSP 78	L/R	Comfort N	A+ (1)			

All lights / electrical components may only be used along with products from the catalogue!



## upper units 480 mm



### mirror cabinet

incl. LEDrelax lighting in the glass studs, 220-240V, LM LED-RGB, max. 2x16W, max. 1630LM, 2700-6500K and 10 mm studs, 1 door, single mirrored, 2 glass shelves, switch/socket

Top lights available as an optional extra!

new

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	540	180	SEER01154	L/R	Comfort N	A+ (1)			



### mirror cabinet

incl. LED lighting in the canopy, glass canopy base, clear glass, white open compartment with glass shelf and illuminated back wall, 12V LED, LM LED, 24W  
1 door, double mirrored, 2 glass shelves  
canopy width: 503 mm, canopy depth: 285 mm

switch/socket controllable from outside, Selectable module position:  
right external (RA), left external (LA)

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
868	500	160	LE-SPSD 82-LA	L/R	Comfort N	A+ (1)			
868	500	160	LE-SPSD 82-RA	L/R	Comfort N	A+ (1)			



### mirror cabinet

incl. LED lighting in the doors, 12V LED, LM LED, 15W, 1 door, single mirrored  
2 glass shelves, switch/socket

Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	600	170	LE-SPS 05	L/R	Comfort N	A+ (1)			



### interior mirror

1 mirror  
can optionally be used with:  
LE-SPS 05-L/R

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
625	530	3	EB-LE-ISP-01						



### LED additional lighting

for washstand lighting, 12V LED, LM LED, 1.7W  
can optionally be used with:  
LE-SPS 78-L/R and LE-SPS 05-L/R

Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	350		EB-L-WP 03			A+ (1)			



## combination 900 mm

**mineral marble washbasin**  
white (w), with tap hole incl. Clou drain



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
15	900	495	LE-MMWT 12						

**glass washbasin**  
Optiwhite or metallic grey  
with tap hole incl. Clou drain



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	900	495	LE-GWT 05-OWH						
12	900	495	LE-GWT 05-MG						


**Ceramic countertop basin**  
Geberit Variform, white  
with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
50	550	450	BAEK186500741						

**new**

**work top**  
glass, underneath in white (G03) or metallic grey (G05) lacquer  
incl. cutout for surface mounted basins as shown in the catalogue




**Please specify colour!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	900	495	PME129049G03						
12	900	495	PME129049G05						


**new**

**vanity unit**  
1 drawer, 2 doors, incl. space-saving siphon, with side-mounted glass studs and 10 mm studs  
ill. shows left




height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	880	480	LE-WTUSL 46	L/R	Comfort N				

**vanity unit**  
incl. LED lighting in the glass studs, 12V LED, LM LED, 9W, with motion sensor  
and 10 mm studs, 1 drawer, 2 doors, incl. space-saving siphon  
ill. shows left



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	880	480	LE-WTUSLB 46	L/R	Comfort N	A+ (1)			

**vanity unit**  
incl. LEDrelax lighting in the glass studs, 220-240V, LM LED-RGB, max. 2x15W, max. 1185LM, 2700-6500K  
with motion sensor, and 10 mm studs, 1 drawer, 2 doors, incl. space-saving siphon  
ill. shows left



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	880	480	W01018M88	L/R	Comfort N	A+ (1)			

**new**

**vanity unit**  
2 drawers, incl. space-saving siphon, with side-mounted glass studs and 10 mm studs



**can be combined with TSS-FACHT-413 SET 2**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	880	480	LE-WTUSL 50		Comfort N				

**new**

All lights / electrical components may only be used along with products from the catalogue!



## combination 900 mm

### vanity unit

incl. LED lighting in the glass studs, 12V LED, LM LED, 9W, with motion sensor, and 10 mm studs  
2 drawers, incl. space-saving siphon




can be combined with TSS-FACHT-413 SET 2

new

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	880	480	LE-WTUSLB 50		Comfort N	A+ (1)			

### vanity unit

incl. LEDrelax lighting in the glass studs, 220-240V, LM LED-RGB, max. 2x15W, max. 1185LM, 2700-6500K  
with motion sensor and 10 mm studs, 2 drawers, incl. space-saving siphon



can be combined with TSS-FACHT-413 SET 2

new

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	880	480	W02018M88		Comfort N	A+ (1)			



## upper units 900 mm

### functional mirror

on carrier plate, incl. lateral LED lighting and sensor switch, 12V LED, LM LED, 14W



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	840	32	LE-FSP 09		Comfort N	A+ (I)			

### functional mirror

on carrier plate, incl. aluminium rail, LED lighting and sensor switch, 12V LED, LM LED, 16W



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	850	32	LE-FSP 16		Comfort N	A+ (I)			

### mirror

on carrier plate, incl. LED effect light and sensor switch, 12V LED, LM LED, 13W, 485LM, 6400K



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
600	900	32	LE-FSP 24		Comfort N	A+ (I)			

### mirror

on carrier plate, incl. LEDplus top light and LEDplus effect light with sensor switch, 12V LED, LM LED, 20W, light width 600 mm



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
600	900	32	LE-FSPP 24		Comfort N	A+ (I)			

### mirror cabinet

incl. LED lighting in the doors, 12V LED, LM LED, 18W, 3 doors, single mirrored  
6 glass shelves, switch/socket  
door hinges on left: R L L



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	840	170	LE-SPS 25		Comfort N	A+ (I)			

### interior mirror

1 mirror  
can optionally be used with:  
LE-SPS 25



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
625	290	3	EB-LE-ISP-02						

### mirror cabinet

incl. lateral LED lighting, 12V LED, LM LED, 14W, 3 doors, single mirrored  
6 glass shelves, switch/socket, Interior mirror on the middle door  
door hinges on left: R L L



Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	840	170	LE-SPS 26		Comfort N	A+ (I)			



## upper units 900 mm



### mirror cabinet

3 doors, single mirrored, 6 glass shelves, with side-mounted glass studs and 10 mm studs  
door hinges on left: R L L

#### Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	940	180	LE-SPS 79		Comfort N				

### LED additional lighting

for washstand lighting, 12V LED, LM LED, 1.7W  
can optionally be used with:  
LE-SPS 79



#### Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 02			A+ (1)			



### mirror cabinet

incl. LED lighting in the glass studs, 12V LED, LM LED, 14W, and 10 mm studs  
3 doors, single mirrored, 6 glass shelves, switch/socket  
door hinges on left: R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	940	180	LE-SPSB 79		Comfort N	A+ (1)			

### LED additional lighting

for washstand lighting, 12V LED, LM LED, 1.7W  
can optionally be used with:  
LE-SPS 25, LE-SPS 26 and LE-SPSB 79



#### Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 01			A+ (1)			



### mirror cabinet

incl. LEDplus top lights and LEDplus lighting in the glass studs, 12V LED, LM LED, 21W  
and 10 mm studs, 3 doors, single mirrored, 6 glass shelves, switch/socket  
light width 600 mm  
door hinges on left: R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	940	180	LE-SPSP 79		Comfort N	A+ (1)			




### mirror cabinet

incl. LEDrelax lighting in the glass studs, 220-240V, LM LED-RGB, max. 2x16W, max. 1630LM, 2700-6500K  
and 10 mm studs, 3 doors, single mirrored, 6 glass shelves, switch/socket  
door hinges on left: R L L

#### Top lights available as an optional extra!

**new**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	940	180	SEER01194		Comfort N	A+ (1)			



### mirror cabinet

incl. LED lighting in the canopy, glass canopy base, clear glass, white  
open compartment with glass shelf and illuminated back wall, 12V LED, LM LED, 14W  
3 doors, double mirrored, 6 glass shelves  
canopy width: 903 mm, canopy depth: 285 mm  
door stop from left: L L R

switch/socket controllable from outside, Selectable module position:  
right external (RA), left external (LA)


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
868	900	160	LE-SPSD 83-LA		Comfort N	A+ (1)			
868	900	160	LE-SPSD 83-RA		Comfort N	A+ (1)			






## combination 1320 mm

**mineral marble washbasin**  
white (w), with tap hole incl. Clou drain



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
15	1320	495	LE-MMWT 13						

**glass washbasin**  
Optiwhite or metallic grey  
with tap hole incl. Clou drain



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	1320	495	LE-GWT 06-OWH						
12	1320	495	LE-GWT 06-MG						


**Ceramic countertop basin**  
Geberit Variform, white  
with tap hole and integrated overflow



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
50	550	450	BAEK186500741						

**new**

**work top**  
glass, underneath in white (G03) or metallic grey (G05) lacquer, incl. cutout for surface mounted basins as shown in the catalogue




**Please specify colour!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	1320	495	PME121349G03						
12	1320	495	PME121349G05						


**new**

**vanity unit**  
2 drawers, 2 doors, with side-mounted glass studs and 10 mm studs, incl. space-saving siphon




height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1300	480	LE-WTUSL 47		Comfort N				

**vanity unit**  
incl. LED lighting in the glass studs, 12V LED, LM LED, 9W, with motion sensor and 10 mm studs, 2 drawers, 2 doors, incl. space-saving siphon



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1300	480	LE-WTUSLB 47		Comfort N	A+ (1)			

**vanity unit**  
incl. LEDrelax lighting in the glass studs  
220-240V, LM LED-RGB, max. 2x15W, max. 1185LM, 2700-6500K  
with motion sensor  
and 10 mm studs, 2 drawers, 2 doors, incl. space-saving siphon



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1300	480	W01018M13		Comfort N	A+ (1)			

**new**


All lights / electrical components may only be used along with products from the catalogue!



## upper units 1320 mm

### mirror


on carrier plate, incl. LED effect light and sensor switch, 12V LED, LM LED, 13W, 485LM, 6400K



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
600	1350	32	LE-FSP 25		Comfort N	A+ (1)			

### mirror


on carrier plate, incl. LEDplus top light and LEDplus effect light with sensor switch, 12V LED, LM LED, 23W, light width 900 mm



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
600	1350	32	LE-FSPP 25		Comfort N	A+ (1)			

### functional mirror

on carrier plate, incl. lateral LED lighting and sensor switch, 12V LED, LM LED, 14W




**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1270	32	LE-FSP 10		Comfort N	A+ (1)			

### functional mirror


on carrier plate, incl. aluminium rail, LED lighting and sensor switch, 12V LED, LM LED, 25W



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1300	32	LE-FSP 17		Comfort N	A+ (1)			

### mirror cabinet

incl. LED lighting in the doors, 12V LED, LM LED, 24W, 4 doors, single mirrored  
4 glass shelves, switch/socket  
door hinges on left: L R L R




240, 395, 395, 240

**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1270	170	LE-SPS 35		Comfort N	A+ (1)			

### interior mirror set


4 mirrors  
2 x H625 x W170 x D3  
2 x H625 x W325 x D3  
can optionally be used with:  
LE-SPS 35



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
		3	EB-LE-ISP4-04						

### mirror cabinet

incl. lateral LED lighting, 12V LED, LM LED, 14W, 4 doors, single mirrored  
4 glass shelves, switch/socket, 4 interior mirrors  
door hinges on left: L R L R




230, 395, 395, 230

**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1280	170	LE-SPS 36		Comfort N	A+ (1)			



## upper units 1320 mm



### mirror cabinet

3 doors, single mirrored, 6 glass shelves, with side-mounted glass studs and 10 mm studs  
door hinges on left: R L L

Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1340	180	LE-SPS 80		Comfort N				

### LED additional lighting

for washstand lighting, 12V LED, LM LED, 1.7W  
can optionally be used with:  
LE-SPS 80




Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 02			A+ (1)			

### mirror cabinet

incl. LED lighting in the glass studs, 12V LED, LM LED, 14W, and 10 mm studs, 3 doors  
single mirrored, 6 glass shelves, switch/socket  
door hinges on left: R L L

Top lights available as an optional extra!



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1340	180	LE-SPSB 80		Comfort N	A+ (1)			

### LED additional lighting

for washing area, 12V LED, LM LED, 3.2W  
can optionally be used with:  
LE-SPS 35, LE-SPS 36 and LE-SPS 80




Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 01			A+ (1)			

### mirror cabinet

incl. LEDplus top lights and LEDplus lighting in the glass studs, 12V LED, LM LED, 24W  
and 10 mm studs, 3 doors, single mirrored, 6 glass shelves, switch/socket  
light width 900 mm  
door hinges on left: R L L




height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1340	180	LE-SPSP 80		Comfort N	A+ (1)			

### mirror cabinet

incl. LEDrelax lighting in the glass studs, 220-240V, LM LED-RGB, max. 2x16W, max. 1630LM, 2700-6500K  
and 10 mm studs, 3 doors, single mirrored, 6 glass shelves, switch/socket

Top lights available as an optional extra!




height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1340	180	SEER01113		Comfort N	A+ (1)			

**new**

### mirror cabinet

incl. LED lighting in the canopy, glass canopy base, clear glass, white  
open compartment with glass shelf and illuminated back wall, 12V LED, LM LED, 18W  
3 doors, double mirrored, 6 glass shelves  
canopy width: 1303 mm, canopy depth: 285 mm  
door stop from left: L L R



switch/socket controllable from outside, Selectable module position:  
right external (RA), left external (LA)

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
868	1300	160	LE-SPSD 84-LA		Comfort N	A+ (1)			
868	1300	160	LE-SPSD 84-RA		Comfort N	A+ (1)			


All lights / electrical components may only be used along with products from the catalogue!



## combination 1740 mm

### mineralmarble double-washbasin


white (w), with 2 tap holes, incl. 2 Clou drains



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
15	1740	495	LE-MMDWT 14						

### glass double washbasin

Optiwhite or metallic grey, with 2 tap holes, incl. 2 Clou drains



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	1740	495	LE-GDWT 07-OWH						
12	1740	495	LE-GDWT 07-MG						

### Ceramic countertop basin

Geberit Variform, white  
with tap hole and integrated overflow




**new**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
50	550	450	BAEK186500741						

### work top

glass, underneath in white (G03) or metallic grey (G05) lacquer, incl. 2 cutouts for 2 surface mounted basins as shown in the catalogue

**new**



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
12	1740	495	PMD121749G03						
12	1740	495	PMD121749G05						

### vanity unit

2 drawers, 4 doors, incl. 2 space-saver siphons, with side-mounted glass studs and 10 mm studs



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1720	480	LE-WTUSL 48		Comfort N				

### vanity unit

incl. LED lighting in the glass studs, 12V LED, LM LED, 9W, with motion sensor and 10 mm studs, 2 drawers, 4 doors, incl. 2 space-saver siphons



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1720	480	LE-WTUSLB 48		Comfort N	A+ (1)			

### vanity unit

incl. LEDrelax lighting in the glass studs, 220-240V, LM LED-RGB, max. 2x15W, max. 1185LM, 2700-6500K with motion sensor, and 10 mm studs, 2 drawers, 4 doors, incl. 2 space-saver siphons




**new**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1720	480	W99018M17		Comfort N	A+ (1)			

### vanity unit

4 drawers, incl. 2 space-saver siphons, with side-mounted glass studs and 10 mm studs




can be combined with TSS-FACHT-413 SET 2  
2 sets possible!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1720	480	LE-WTUSL 49		Comfort N				

All lights / electrical components may only be used along with products from the catalogue!



## combination 1740 mm




### vanity unit

incl. LED lighting in the glass studs, 12V LED, LM LED, 9W, with motion sensor and 10 mm studs, 4 drawers, incl. 2 space-saver siphons

**can be combined with TSS-FACHT-413 SET 2**  
**2 sets possible!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1720	480	LE-WTUSLB 49		Comfort N	A+ (1)			



### vanity unit

incl. LEDrelax lighting in the glass studs, 220-240V, LM LED-RGB, max. 2x15W, max. 1185LM, 2700-6500K with motion sensor and 10 mm studs, 4 drawers, incl. 2 space-saver siphons

**can be combined with TSS-FACHT-413 SET 2**  
**2 sets possible!**

**new**


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
480	1720	480	W98018M17		Comfort N	A+ (1)			



## upper units 1740 mm

### functional mirror

on carrier plate, incl. lateral LED lighting and sensor switch, 12V LED, LM LED, 14W




**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1680	32	LE-FSP 11		Comfort N	A+ (1)			

### functional mirror


on carrier plate, incl. aluminium rail, 2 glass shelves, LED lighting and sensor switch  
12V LED, LM LED, 32W



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1680	32	LE-FSP 19		Comfort N	A+ (1)			

### mirror

on carrier plate, incl. LED effect light and sensor switch, 12V LED, LM LED, 13W, 485LM, 6400K




**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
600	1750	32	LE-FSP 26		Comfort N	A+ (1)			

### mirror


on carrier plate, incl. 2 LEDplus top lights  
and LEDplus effect light with sensor switch, 12V LED, LM LED, 27W, light width 600 mm



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
600	1750	32	LE-FSP 26		Comfort N	A+ (1)			

### mirror cabinet

incl. LED lighting in the doors, 12V LED, LM LED, 28W, 4 doors, single mirrored  
4 glass shelves, switch/socket  
door hinges on left: L R L R




**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1680	170	LE-SPS 45		Comfort N	A+ (1)			

### interior mirror set


4 mirrors  
2 x H625 x W170 x D3  
2 x H625 x W530 x D3  
can optionally be used with:  
LE-SPS 45



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
		3	EB-LE-ISP4-05						

### mirror cabinet

incl. lateral LED lighting, 12V LED, LM LED, 14W, 4 doors, single mirrored  
4 glass shelves, switch/socket, 4 interior mirrors  
door hinges on left: L R L R




**Top lights available as an optional extra!**

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1680	170	LE-SPS 46		Comfort N	A+ (1)			



## upper units 1740 mm



### mirror cabinet

3 doors, single mirrored, 6 glass shelves, with side-mounted glass studs and 10 mm studs  
door hinges on left: R L L

Top lights available as an optional extra!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1740	180	LE-SPS 81		Comfort N				

### LED additional lighting

for washstand lighting, 12V LED, LM LED, 3.2W  
can optionally be used with:  
LE-SPS 81



Not available separately!


Always only 2 pieces available!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	350		EB-L-WP 04			A+ (1)			

### mirror cabinet

incl. LED lighting in the glass studs, 12V LED, LM LED, 14W  
and 10 mm studs, 3 doors, single mirrored, 6 glass shelves, switch/socket  
door hinges on left: R L L

Top lights available as an optional extra!



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1740	180	LE-SPSB 81		Comfort N	A+ (1)			

### LED additional lighting

for washstand lighting, 12V LED, LM LED, 3.2W  
can optionally be used with:  
LE-SPS 45, LE-SPS 46 and LE-SPSB 81



Not available separately!

Always only 2 pieces available!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	350		EB-L-WP 03			A+ (1)			

### mirror cabinet

incl. 2 LEDplus top lights, incl. LEDplus lighting in the glass studs, 12V LED, LM LED, 28W  
and 10 mm studs, 3 doors, single mirrored, 6 glass shelves, switch/socket  
light width 600 mm  
door hinges on left: R L L




height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1740	180	LE-SPSP 81		Comfort N	A+ (1)			

### mirror cabinet

incl. LEDrelax lighting in the glass studs, 220-240V, LM LED-RGB, max. 2x16W, max. 1630LM, 2700-6500K  
and 10 mm studs, 3 doors, single mirrored, 6 glass shelves, switch/socket  
door hinges on left: R L L

Top lights available as an optional extra!




height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1740	180	SDER01117		Comfort N	A+ (1)			

new

### mirror cabinet

incl. LED lighting in the canopy, glass canopy base, clear glass, white  
open compartment with glass shelf and illuminated back wall, 12V LED, LM LED, 24W  
4 doors, double mirrored, 8 glass shelves  
canopy width: 1803 mm, canopy depth: 285 mm  
door hinges on left: L R L R

switch/socket controllable from outside, Module position: two external (ZA)



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
868	1800	160	LE-SPSD 85-ZA		Comfort N	A+ (1)			

All lights / electrical components may only be used along with products from the catalogue!



LEONARDO

# LEO LIVING BATHROOM 116

MADE IN GERMANY





# LEO LIVING BATHROOM 116



customer:

supplier:

PELIPAL GmbH  
Hans-Wilhelm-Peters-Straße 2  
33189 Schlangen  
Germany

date:

term:

delivery:

phone:

fax.:

minimum order value:

freight costs:

incoterm:


30 working days

+49 5252/848-0

+49 5252/848-158

RP/€

bloc:



dimension in mm:

500

See type guide for energy-efficiency information

front panel: optiwhite glass  
carcass colour: snow white gloss  
accent colour: /  
carcass quality: Comfort N  
drawers: metal frame with soft insert  
colour countertop: /  
studs decor: /  
handle/knob: chrome gloss, fix  
assembly: wall-mounted  
archive no.: 1-LE116-F6-1

PG 2

pos.	units	article no. / door hinge	description
1	1	LE-GWT 08-MG	glass washbasin metallic grey (mg)
2	1	W01018M46	L/R vanity unit 1 rotating door incl. RGB lighting
3	1	LE-FSPP 23	mirror on carrier plate incl. LEDplus top light
<b>combination price:</b>			
4	1	ZEHM33	single-lever mixer chrome gloss
5	2	HHK5-70	towel hook chrome gloss hinged
<b>total value of additional units:</b>			
<b>total value incl. additional units:</b>			

Subject to changes and errors.



LEONARDO

# LEO LIVING BATHROOM 116

MADE IN GERMANY



# LEO LIVING BATHROOM 116



customer:

supplier:

PELIPAL GmbH  
Hans-Wilhelm-Peters-Straße 2  
33189 Schlangen  
Germany

date:

term:

delivery:

phone:

fax.:

minimum order value:

freight costs:

incoterm:


30 working days

+49 5252/848-0

+49 5252/848-158

RP/€

bloc:



dimension in mm:

940/350

See type guide for energy-efficiency information

front panel: Glass, white marble effect  
carcass colour: White marble effect  
accent colour: /  
carcass quality: Comfort N  
drawers: metal frame with soft close  
colour countertop: metallic gray  
studs decor: /  
handle/knob: chrome gloss, fixed  
assembly: wall-mounted  
archive no.: 1-LE116-F7-1

PG 3

pos.	units	article no. / door hinge	description
1	1	BAEK186500741	Ceramic countertop basin Geberit Variform
2	1	W02018M88	vanity unit 2 drawers incl. RGB lighting
3	1	PME129049G05	work top
4	1	SEER01194	mirror cabinet 3-door incl. RGB lighting
<b>combination price:</b>			
5	1	EB-LS-AM-900F	top light LED chrome gloss
6	1	ZDVABL06	Tablet shelf aluminium matt
7	1	ZDVUSB01	USB port for mounting to FSP or SPS
8	1	LE-HS 01	L/R: tall cabinet 2 doors, 1 drawer
9	1	TSS-FACHT-343-SET 2	drawer insert for cosmetics 2-piece Wood anthracite, lacquered
10	1	HHWE 3-345	towel holder chrome gloss 2 armed
11	1	ZEHM33	single-lever mixer chrome gloss
<b>total value of additional units:</b>			
<b>total value incl. additional units:</b>			

Subject to changes and errors.



LEONARDO

# LEO LIVING BATHROOM 116

MADE IN GERMANY





**customer:**

**supplier:**


PELIPAL GmbH  
Hans-Wilhelm-Peters-Straße 2  
33189 Schlagen  
Germany

**date:**

**term:** 30 working days  
**delivery:** +49 5252/848-0  
**phone:** +49 5252/848-158  
**fax::**  
**minimum order value:**  
**freight costs:**  
**incoterm:**

**RP/€**

bloc:



**dimension in mm:**

**350/350/1740**

See type guide for energy-efficiency information

front panel: Glass, quartz grey matt  
carcass colour: quartz grey matt touch  
accent colour: /  
carcass quality: Comfort N  
drawers: metal frame with soft close  
colour countertop: metallic grey  
studs decor: /  
handle/knob: chrome gloss, fixed  
assembly: wall-mounted  
archive no.: 1-LE116-F8-1

**PG 3**

pos.	units	article no. / door hinge	description
1	2	BAEK186500741	Ceramic countertop basin Geberit Variform
2	1	LE-WTUSLB 49	vanity unit
3	1	PMD121749G05	work top Glass, metallic grey
4	1	LE-SPSP 81	mirror cabinet 3-door incl. 2 LEDplus top lights
<b>combination price:</b>			
5	2	LE-M 01	L/R side cabinet 2 hinged doors
6	1	LE-APG 04-_____	glass cover plate for additional units
7	2	HHWE 3-345	towel holder chrome gloss 2 armed
8	2	ZEHM33	single-lever mixer chrome gloss
9	2	TSS-FACHT-343-SET 2	drawer insert for cosmetics 2-piece Wood anthracite, lacquered
<b>total value of additional units:</b>			
<b>total value incl. additional units:</b>			

Subject to changes and errors.



LEONARDO

# LEO LIVING BATHROOM 116

MADE IN GERMANY



# LEO LIVING BATHROOM 116



customer:


supplier:

PELIPAL GmbH  
Hans-Wilhelm-Peters-Straße 2  
33189 Schlangen  
Germany

date:  
term:  
delivery: 30 working days  
phone: +49 5252/848-0  
fax: +49 5252/848-158  
minimum order value:  
freight costs:  
incoterm:

RP/€

bloc:



dimension in mm:

1320/420

See type guide for energy-efficiency information

- front panel: optiwhite glass  
 carcass colour: snow white gloss  
 accent colour: /  
 carcass quality: Comfort N  
 drawers: metal frame with soft insert  
 colour countertop: /  
 studs decor: /  
 handle/knob: chrome gloss, fix  
 assembly: wall-mounted  
 archive no.: 1-Leonardo116-F1-1-Ret

PG 2

pos.	units	article no. / door hinge	description
1	1	LE-MMWT 13	mineral marble washbasin white
2	1	LE-WTUSLB 47	vanity unit 2-door incl. LED lighting in the glass studs
3	1	LE-SPSD 84-LA	mirror cabinet 3-door incl. LED lighting inside conopy
<b>combination price:</b>			
4	1	LE-M 04	L/R: side cabinet 2 hinged doors 5 lateral storage shelves
5	1	LE-APG 09-_____	glass cover plate for additional units Optiwhite metallic grey (mg)
6	2	HHK5-70	towel hook chrome gloss hinged
7	1	EHM-25-C	single-lever mixer chrome gloss
			<b>total value of additional units:</b>
			<b>total value incl. additional units:</b>

Subject to changes and errors.



LEONARDO

# LEO LIVING BATHROOM 116

MADE IN GERMANY





# LEO LIVING BATHROOM 116



**customer:**

**supplier:**

**date:**

**term:**

**delivery:**

**phone:**

**fax.:**

**minimum order value:**

**freight costs:**

**incoterm:**


30 working days

+49 5252/848-0

+49 5252/848-158

**RP/€**

**bloc:**



**dimension in mm:**

**1320/420**

See type guide for energy-efficiency information

front panel: optiwhite glass  
 carcass colour: snow white gloss  
 accent colour: /  
 carcass quality: Comfort N  
 drawers: metal frame with soft insert  
 colour countertop: /  
 studs decor: /  
 handle/knob: chrome gloss, fix  
 assembly: wall-mounted  
 archive no.: 1-Leonardo116-F1-2-Ret

**PG 2**

pos.	units	article no. / door hinge	description	
1	1	LE-GWT 06-MG	:	glass washbasin metallic grey (mg)
2	1	LE-WTUSLB 47	:	vanity unit 2-door incl. LED lighting in the glass studs
3	1	LE-SPSD 84-LA	:	mirror cabinet 3-door incl. LED lighting inside conopy
<b>combination price:</b>				
4	1	LE-M 04	:L/R	side cabinet 2 hinged doors 5 lateral storage shelves
5	1	LE-APG 09-	:	glass cover plate for additional units Optiwhite metallic grey (mg)
6	2	HHK5-70	:	towel hook chrome gloss hinged
7	1	EHM-25-C	:	single-lever mixer chrome gloss
			:	<b>total value of additional units:</b>
			:	<b>total value incl. additional units:</b>

Subject to changes and errors.



LEONARDO

# LEO LIVING BATHROOM 116

MADE IN GERMANY



# LEO LIVING BATHROOM 116



customer:

supplier:

PELIPAL GmbH  
Hans-Wilhelm-Peters-Straße 2  
33189 Schlagen  
Germany

date:

term:

delivery:

phone:

fax.:

minimum order value:

freight costs:

incoterm:


30 working days

+49 5252/848-0

+49 5252/848-158

RP/€

bloc:



dimension in mm:

See type guide for energy-efficiency information

front panel: metallic glass  
carcass colour: graphite texture, horizontal, effect  
accent colour: /  
carcass quality: Comfort N  
drawers: metal frame with soft insert  
colour countertop: /  
studs decor: /  
handle/knob: chrome gloss, fix  
assembly: wall-mounted  
archive no.: 1-Leonardo116-F2-1-Ret2

PG 3

pos.	units	article no. / door hinge	description	
1	1	LE-MMDWT 14	:	mineralmarble double-washbasin white
2	1	LE-WTUSLB 48	:	vanity unit 4-door incl. LED lighting in the glass studs
3	1	LE-FSPP 26	:	mirror on carrier plate
<b>combination price:</b>				
4	2	FKT-SET 03	:	organiser set 3
5	1	SD01-SET 01	:	MusicZone
6	2	HHWE 2-325	:	towel holder chrome gloss single-arm
7	2	EHM-25-C	:	single-lever mixer chrome gloss
<b>total value of additional units:</b>				
<b>total value incl. additional units:</b>				

Subject to changes and errors.



LEONARDO

# LEO LIVING BATHROOM 116

MADE IN GERMANY





**customer:**

**supplier:**

PELIPAL GmbH  
Hans-Wilhelm-Peters-Straße 2  
33189 Schlengen  
Germany

**date:**

**term:**

**delivery:**

**phone:**

**fax.:**

**minimum order value:**

**freight costs:**

**incoterm:**


30 working days

+49 5252/848-0

+49 5252/848-158

**RP/€**

**bloc:**



**dimension in mm:**

**642/480**

See type guide for energy-efficiency information

front panel: Riviera oak, horizontal, effect  
 carcass colour: Snow white gloss  
 accent colour: /  
 carcass quality: Comfort N  
 drawers: metal frame with soft insert  
 colour countertop: /  
 studs decor: /  
 handle/knob: chrome gloss, fix  
 assembly: wall-mounted  
 archive no.: 1-Leonardo116-F3-1-Ret

**PG 1**

pos.	units	article no. / door hinge	description
1	1	LE-MMWT 11	mineral marble washbasin white
2	1	LE-WTUSB 45	L/R vanity unit 1 rotating door incl. LED lighting in the glass studs
3	1	LE-FSP 23	mirror on mounting plate, incl. LED effect lighting
<b>combination price:</b>			
4	1	LE-SH 01-W	stool with storage shelf and seat cushion
5	1	EB-LS-AM-400F	top light LED chrome gloss
6	2	HHK5-70	towel hook chrome gloss hinged
7	1	EHM-25-C	single-lever mixer chrome gloss
<b>total value of additional units:</b>			
<b>total value incl. additional units:</b>			

Subject to changes and errors.



LEONARDO

# LEO LIVING BATHROOM 116

MADE IN GERMANY



# LEO LIVING BATHROOM 116



customer:

supplier:

PELIPAL GmbH  
Hans-Wilhelm-Peters-Straße 2  
33189 Schlangen  
Germany

date:

term:

delivery:

phone:

fax.:

minimum order value:

freight costs:

incoterm:


30 working days

+49 5252/848-0

+49 5252/848-158

RP/€

bloc:



dimension in mm:

480/900/350

See type guide for energy-efficiency information

front panel: quartz grey glass  
carcass colour: quartz grey matt touch  
accent colour: /  
carcass quality: Comfort N  
drawers: metal frame with soft insert  
colour countertop: /  
studs decor: /  
handle/knob: chrome gloss, fix  
assembly: wall-mounted  
archive no.: 1-Leonardo116-F4-1-Ret

PG 3

pos.	units	article no. / door hinge	description
1	1	LE-MMWT 12	mineral marble washbasin white
2	1	LE-WTUSLB 46	L/R vanity unit 2-door incl. LED lighting in the glass studs
3	1	LE-SPSP 79	mirror cabinet 3-door incl. LEDplus top light
<b>combination price:</b>			
4	1	LE-M 07	side cabinet 4 doors
5	1	LE-HB 01	L/R highboard 1 drawer, 1 door
6	1	LE-WS 01-200	L/R wall unit 1 rotating door
7	1	LE-APD 03-_____	cover plate for additional units
8	1	LE-APD 01-_____	cover plate for additional units
9	1	FKT-SET 03	organiser set 3
10	2	HHWE 2-325	towel holder chrome gloss single-arm
11	1	EHM-25-C	single-lever mixer chrome gloss
<b>total value of additional units:</b>			
<b>total value incl. additional units:</b>			

Subject to changes and errors.